

【原著論文】

1. **Matsui Y**, Kario K, Ishikawa J, Eguchi K, Hoshide S, Shimada K. Reproducibility of arterial stiffness indices (pulse wave velocity and augmentation index) simultaneously assessed by automated pulse wave analysis and their associated risk factors in essential hypertensive patients. *Hypertens Res.* 2004;27:851-7.
2. **Matsui Y**, Kario K, Ishikawa J, Hoshide S, Eguchi K, Shimada K. Smoking and antihypertensive medication: interaction between blood pressure reduction and arterial stiffness. *Hypertens Res.* 2005;28:631-8.
3. **Matsui Y**, Eguchi K, Ishikawa J, Hoshide S, Shimada K, Kario K. Subclinical arterial damage in untreated masked hypertensive subjects detected by home blood pressure measurement. *Am J Hypertens.* 2007;20:385-91.
4. **Matsui Y**, Eguchi K, Shibasaki S, Ishikawa J, Hoshide S, Pickering TG, Shimada K, Kario K. Effect of doxazosin on the left ventricular structure and function in morning hypertensive patients: the Japan Morning Surge 1 study. *J Hypertens.* 2008;26:1463-71.
5. **Matsui Y**, Ishikawa J, Eguchi K, Hoshide S, Miyashita H, Shimada K, Kario K. The influence of wave reflection on left ventricular hypertrophy in hypertensive patients is modified by age and gender. *Hypertens Res.* 2008;31:649-56.
6. **Matsui Y**, Eguchi K, Shibasaki S, Ishikawa J, Hoshide S, Pickering TG, Shimada K, Kario K; JMS-1 Study Group. Monitoring of the central pulse pressure is useful for detecting cardiac overload during antiadrenergic treatment: the Japan Morning Surge 1 study. *J Hypertens.* 2008;26:1928-34.
7. **Matsui Y**, Eguchi K, Shibasaki S, Shimizu M, Ishikawa J, Shimada K, Kario K. Association between the morning-evening difference in home blood pressure and cardiac damage in untreated hypertensive patients. *J Hypertens.* 2009;27:712-20.
8. **Matsui Y**, Eguchi K, O'Rourke MF, Ishikawa J, Miyashita H, Shimada K, Kario K. Differential effects between a calcium channel blocker and a diuretic when used in combination with angiotensin II receptor blocker on central aortic pressure in hypertensive patients. *Hypertension.* 2009;54:716-23.
9. **Matsui Y**, Eguchi K, Shibasaki S, Ishikawa J, Hoshide S, Shimada K, Kario K; Japan morning Surge-1 Study Group. Impact of arterial stiffness reduction on urinary albumin excretion during antihypertensive treatment: the Japan morning Surge-1 study. *J Hypertens.* 2010;28:1752-60.
10. **Matsui Y**, Eguchi K, Shibasaki S, Ishikawa J, Shimada K, Kario K. Morning hypertension assessed by home monitoring is a strong predictor of concentric left ventricular hypertrophy in patients with untreated hypertension. *J Clin Hypertens*

(Greenwich). 2010;12:776-83.

11. **Matsui Y**, Eguchi K, Ishikawa J, Shimada K, Kario K.

Urinary albumin excretion during angiotensin II receptor blockade: comparison of combination treatment with a diuretic or a calcium-channel blocker. *Am J Hypertens*. 2011;24:466-73.

12. **Matsui Y**, Eguchi K, O'Rourke MF, Ishikawa J, Shimada K, Kario K.

Association between aldosterone induced by antihypertensive medication and arterial stiffness reduction: the J-CORE study. *Atherosclerosis*. 2011;215:184-8.

13. **Matsui Y**, Ishikawa J, Eguchi K, Shibasaki S, Shimada K, Kario K. Maximum value of home blood pressure: a novel indicator of target organ damage in hypertension. *Hypertension*. 2011;57:1087-93.

14. **Matsui Y**, Ishikawa J, Shibasaki S, Shimada K, Kario K. Association between home arterial stiffness index and target organ damage in hypertension: comparison with pulse wave velocity and augmentation index. *Atherosclerosis*. 2011;219:637-42.

15. **Matsui Y**, Kario K. Differential impacts of antihypertensive drugs on central blood pressure and their clinical significance. 2012;8:114-9.

16. **Matsui Y**, Kario K. Prognostic value of the home blood pressure variability: which is best? *Hypertension*. 2012;59:e33

17. **Matsui Y**, O'Rourke MF, Hoshide S, Ishikawa J, Shimada K, Kario K. Combined effect of angiotensin II receptor blocker and either a calcium channel blocker or diuretic on day-by-day variability of home blood pressure: the Japan Combined Treatment With Olmesartan and a Calcium-Channel Blocker Versus Olmesartan and Diuretics Randomized Efficacy Study. *Hypertension*. 2012;59:1132-8.

18. **Matsui Y**, O'Rourke MF, Ishikawa J, Shimada K, Kario K. Association of changes in ambulatory arterial stiffness index and pulse wave velocity during antihypertensive treatment: the J-CORE study. *Am J Hypertens*. 2012;25:862-8.

19. **Matsui Y**, Kario K. Differential impacts of antihypertensive drugs on central blood pressure and their clinical significance. *Curr Hypertens Rev*. 2012;8:114-9.

【海外における医学書執筆（高血圧と動脈硬化）】

Matsui Y, O'Rourke MF

Blood Pressure and Arterial Wall Mechanics in Cardiovascular Diseases (Michel E. Safar, Michael O'Rourke, Edward D. Frohlich 編集), Springer 社 (2014)

【日本における高血圧・動脈硬化・心臓病関連の総説執筆】

約 50 と多数のため割愛